INDEX

Page

Acid-hydrolyzable Carbohydrates. *See* Carbohydrates.
Acids, volatile, in grape juice, methods of determining ... 304–310
Aegilops, Hybrids Intergeneric, with Triticum and Secale: C. E. Leighty, W. J. Sando, and J. W. Taylor ... 101–141
Agrilus arcuatus Say, Hickory Spiral Borer, Life History: Fred E. Brooks ... 331–338
Alfalfa—
  Bacterial Wilt and Root Rot Caused by *Aplanobacter insidiosum* L. McC: Fred R. Jones and Lucia McCulloch ... 493–521
  feeding to steers, effect on pulse rate ... 888–891
  host relationship to *Aplanobacter insidiosum* ... 496–498
  inoculation with *Aplanobacter insidiosum* L. McC ... 496–498
Alfalfa Pest, the Pea Aphid in Kansas as: Roger C. Smith and Edgar W. Davis ... 47–57
Allen, Ruth F.: A Cytological Study of *Puccinia triticina* Physiologic Form 11 on Little Club Wheat ... 201–222
Allium, rots, Botrytis and Sclerotium, remarks ... 896–897
Alternaria—
  brassicae (Berk.) Sacc., cause of leaf spot ... 645–646
  herculea, Cause of Leaf Spot of Cruciferous Plants: J. L. Weimer ... 645–650
  radicina—
    growth, relation to temperature ... 1032–1033
    M. D. and E., cause of black rot of carrots ... 1025
Alway, Frederick J., Shaw, William M., and Methley, William J.: Phosphoric-acid Content of Crops Grown upon Peat Soils as an Index of the Fertilization Received or Required ... 701–740
Anatomy of the Vegetative Organs of the Sugar Beet: Ernst Artschwager ... 143–176
Anthonomus grandis Boh. *See* Cotton Boll Weevil.
Anthracnose—
  cucumber, control by basic copper sulphate ... 749
  soy-bean—
    distinction from other diseases ... 382–386
    historical notes ... 381
    history, description, etc ... 394
    identification of fungus causing ... 388–389
    S. G. Lehman and Frederick A. Wolf ... 381–390
Anuraphis roseus Baker, spraying tests ... 602
Aphid, Pea, as Alfalfa Pest in Kansas: Roger C. Smith and Edgar W. Davis ... 47–57
Aphids, spraying experiments ... 601–603
Aphis—
  pomi De Geer, spraying tests ... 602
  rumici, spraying experiments ... 601–602
Aplanobacter—
  insidiosum L. McC.—
    Cause of a Bacterial Wilt and Root Rot of Alfalfa: Fred R. Jones and Lucia McCulloch ... 493–521
    characters, morphological and cultural ... 502–520
    control ... 501–502
  stewartii, cause of blight of sweet corn, note ... 770
Apple—
  bitter rot, distinction from anthracnose of soy bean ... 383–385
  scab, control by basic copper sulphate ... 743
Appleman, C. O., and Miller E. V.: A Chemical and Physiological Study of Maturity in Potatoes ... 569–577
Apples, injury by codling moth, laboratory results ... 318–330

Page

Arsenate, acid lead—
  coating experiments ... 7
  effects of soil action on ... 5–6
  use as a soil insecticide ... 6–7
Arsenates—
  effect—
    in soil on plants ... 5
    on respiratory metabolism of insects ... 1005–1006
  Soil Insecticides, Experiments: B. R. Leach ... 1–8
Arsenicals—
  Effect on the Respiratory Metabolism of Insects, Physiological Studies: David E. Fink ... 993–1007
  influence upon respiratory metabolism of insects, survey of literature ... 993–994
  Laboratory Experiments in Control of Codling Moth: E. J. Newcomer ... 317–330
Artschwager, Ernst: Anatomy of the Vegetative Organs of the Sugar Beet ... 143–176
Asphyxiation, larvae ... 821–823
Awns, wheat, inheritance studies ... 1163–1191

Bacillus—
  coli, absence from fresh hams ... 763, 764, 768
  histolyticus, presence in fresh and sour hams ... 756, 766, 767
  n. s., presence in fresh hams ... 767
  putrefaciens, presence in fresh and sour hams ... 761, 765, 766, 767, 768
  solanacearum, cause of tobacco wilt ... 1143
  sporogenes, presence in fresh and sour hams ... 765, 766, 767
  tertius, presence in fresh and sour hams 765, 766, 767
Back, E. A., and Cotton, R. T.: Biology of the Saw-toothed Grain Beetle, *Oryzaephilus surinamensis* Linné ... 435–452
Bacon, curing, discussion of nitrite use ... 544, 547–548
Bact. sojae Wolf, cause of blight on soy beans ... 394
Bacterial—
  blight, in seed corn, treatments ... 771–772
  Wilt and Root Rot of Alfalfa Caused by *Aplanobacter insidiosum* L. McC.: Lucia McCulloch and Fred R. Jones ... 493–521
Bacterium—
  glycineum Coerper, cause of blight on soy beans ... 394
  spp., inoculation on tomatoes ... 1058
Bailey, Alice A., and Link, George K. K.: Fusaria Causing Bulb Rot of Onions ... 929–952
Banana wilt, study of cause ... 1144, 1145
Barley, crossing with *Aegilops ovata* ... 129
Bean—
  plants—
    poisoning by certain war chemicals ... 179–182
    use in insecticidal experiments ... 179–182
  soy. *See* Soy bean.
  Susceptibility to Virus of Sugar-beet Curly-top: Eubanks Carsner ... 345–348
Beans—
  crossing of varieties for inheritance study ... 349–354
  disease epidemic in Idaho, symptoms ... 345
  diseases, study in Idaho ... 345–348
  inheritance of characteristics, study ... 349–354
  varieties, comparisons in susceptibility to beet curly top ... 346–347
Beard factors, wheat. *See* Wheat.
Beef Extract, Ox Blood, Ox Palates, Calf Lungs, Hog Snouts, and Cracklings, Nutritive Value of Protein in: Ralph Hoagland and George G. Snider ... 829–845
Beet, Sugar—
  Climatic Effects in Metabolism: W. E. Tottingham, S. Lepkovsky, E. R. Schulz, and K. P. Link ... 59–7

Page

Beet, Sugar—Continued.
Curly-top, Susceptibility of the Bean to the Virus of: Eubanks Carsner 345–348
morphology 143–176
Beetle—
grain. *See* Grain beetle.
Japanese—
control with arsenates in soil 1–8
destruction of larvae in soils 821–828
Dips for, Water and Water Solutions of Organic Compounds for the Soil of Potted Plants Infested with: Walter E. Fleming 821–828
Beets—
mature, study of structure 145–148
sugar—
Anatomy of Vegetative Organs: Ernst Artschwager 143–176
curly top, infection of beans 345–348
leaves, study of structure 148–158
life history 158–172
"Bending." *See* "Buckling."
Beta vulgaris L. *See* Beet, sugar.
Bienfait, Jacques L.: Relation of the Manner of Failure to the Structure of Wood under Compression Parallel to the Grain 183–194
Biology of the Saw-toothed Grain Beetle, *Oryzaephilus surinamensis* Linné: E. A. Back and R. T. Cotton 435–452
Bissell, Theodore L., and Willard, H. F.: Work and Parasitism of the Mediterranean Fruit Fly in Hawaii in 1921 9–15
Bitter rot, apple, distinction from anthracnose, soy-bean 383–386
Black rot—
carrots—
description 1026
discussion and results of study 1039
infection method 1029–1031
influence of temperature on infection and rotting 1034–1036
influence on growth in culture 1032, 1033
origin on roots 1026–1029
relation to other infections 1025–1026
relation to storage: J. I. Lauritzen 1025–1041
sweet potato—
discussion 674
growth 664–665
influence of temperature on development 667–669, 672–674
losses, etc 663
method of infection 665–667
results of study 675–676
temperature limits 673–674
Black-bundle disease, treatment with hot water 770
Blastobasidae family, notes 814
Blight—
bacterial—
in seed corn, treatment 771–772
on soy beans, cause, description, etc 394–395
Blossom and Spur, of Pear—
Caused by a Strain of *Botrytis cinerea* Pers.: S. M. Zeller 477–482
description 477–479
dissemination 479
proof of genesis of disease 479–480
study results 482
celery, control by basic copper sulphate 749
pod and stem—
distinction from anthracnose of soy-bean 382
study on soy bean 393
seedling, corn, distinction from root rot 453–455
sweet corn, seed treatments 770–779
Blossom and Spur Blight of Pear, Caused by a Strain of *Botrytis cinerea* Pers.: S. M. Zeller 477–482
Boll weevil—
attraction of, chemotropic experiments 1097
Cotton, Senses of, An Attempt to Explain How Plants Attract Insects by Smell: N. E. McIndoo 1095–1141
Bolls—
comparison of correlations based on individuals and samples 785–787
Cotton, Correlations with Fiber and Seed Characters: Thomas H. Kearney 781–796

Page

Bollworm, pink, study in comparison with Lepidoptera 797
Bombyx mori, destruction, experiment 605
Bordeaux mixture, a basic copper sulphate substitute for 741, 744–749
Borer, Hickory Spiral—
Agrilus arcuatus Say, Life History: Fred E. Brooks 331–338
natural enemies 337
Borers, tree and plant, notes 331
Botrytis—
cinerea Pers., Cause of a Blossom and Spur Blight of Pears: S. M. Zeller 477–482
Neck Rots of Onions: J. C. Walker 893–928
spp., cause of neck rots of onions, comparisons 912–915
Bottimer, L. J.: Notes on Some Lepidoptera from Eastern Texas 797–819
Boyer—
E. A.: A Contribution to the Bacteriological Study of Ham Souring 761–768
Edward A., Kerr, Robert H., Marsh, Clarence T. N., and Schroeder, Walter F.: The Use of Sodium Nitrite in the Curing of Meat 541–551
Braman, Winfred W., Kriss, Max—
Forbes, E. B., and Fries, J. August—
Fasting Katabolism of Dry Cows 591–595
The Relative Utilization of Feed Energy for Maintenance, Body Increase, and Milk Production of Cattle 483–492
Fries, J. August, Cochrane, Donald C., Jeffries, C. D., Swift, R. W., French, R. B., Maucher, J. V., jr., and Forbes, E. B.: The Influence of the Environmental Temperature on the Heat Production of Cattle 579–589
Breeding—
cotton, correlation of seed, fiber, and boll characters 793–795
cross, wheat, linkage of pubescent node and beard factors 753–755
sweet potatoes, bud sports 523–525
wheat—
correlated inheritance 1163–1192
linkage of pubescent node and beard factors 753–755
Brinley, F. J.: Insecticidal Value of Certain War Chemicals as Tested on the Tent Caterpillar 177–182
Brooks, Fred E.: Life History of the Hickory Spiral Borer, *Agrilus arcuatus* Say 331–338
Brown—
Nellie A.: A Stem-end and Center Rot of Tomato Caused by Various Unrelated Organisms 1009–1024
spot—
fungus causing, description 369–370
soy bean, historical notes 365
soy bean, historical notes and dissemination 393
soy bean, symptoms 366–369
Brown-pocket heart rot. *See* Rot, brown-pocket.
Brown-spot Disease of Soy Bean: Frederick A. Wolf and S. G. Lehman 365–374
"Buckling" fiber, cause of failure of wood in tests parallel to grain 188–189
Buckthorn. *See* Rhamnus.
Bud Sports in Sweet Potatoes: L. L. Harter 523–525
Variation and Chimeras in *Matthiola incana* R. Br.: Howard B. Frost 41–46
Worm, Tobacco, *Heliothis virescens* Fab., *Cardiochiles nigriceps* Vier., an Important Parasite of: F. S. Chamberlin and J. N. Tenhet 21–27
Buds, pecan, differentiation 678–680
Bulb Rot—
of Onions, Fusaria Causing: George K. K. Link and Alice A. Bailey 929–952
onion, description 930–933
Buprestidae, nomenclature 331
Butterfly, pine—
biology and habits 341–342
description 339–341
importance 343

Butterfly, pine—Continued. Page
natural enemies 343
Neophasia menapia Felder, Study: James C. Evenden 339–344

Cabbage—
content of—
calcium and phosphorus, determination method 695–696
calcium and phosphorus, content, results of study 698–699
calcium, variations 696–697
hardening, effects on plant fluids 980
phosphorus content, variations 697–698
seedlings—
yellows development, relation of soil moisture 986–988
yellows development, relation of temperature 978–986
Yellows Development, the Influence of Soil Temperature and Soil Moisture: Eugene C. Tims 971–992
susceptibility to yellows of several kinds, comparison 973–978
The Water-soluble Content of Calcium and Phosphorus in; W. H. Peterson and Clara B. Peterson 695–699
Calcium—
and Phosphorus, in Cabbage, the Water-soluble Content: W. H. Peterson and Clara B. Peterson 695–699
arsenate, effectiveness against codling moth 325–329
Calf Lungs, Hog Snouts, Cracklings, Beef Extract, Ox Blood, and Ox Palates, Nutritive Value of Proteins in: Ralph Hoagland and George G. Snider 829–843
Cambium, development in beets 166–168
Cane, Sugar, an Apparently New Mealybug of: Harold Morrison 757–759
Canning, Sweet Potatoes, The Relation of Storage to Quality: C. W. Culpepper and C. A. Magoon 627–643
Carbohydrates, Acid-hydrolyzable, Importance of Clearing Hydrolyzed Solution in Determination in Green Plant Tissue: V. H. Morris and F. A. Welton 195–199
Carbon Disulphide Emulsion—
A Homogeneous: Walter E. Fleming 17–20
use against larvae in soil 824–827
Cardiochiles nigriceps Vier.—
an Important Parasite of the Tobacco Bud Worm, *Heliothis virescens* Fab.: F. S. Chamberlin and J. N. Tenhet 21–27
classification and description 23–24
economic importance and distribution 21–22
habits and seasonal history 25–27
life history 24–25
Carrots—
black rot—
method of infection 1029–1031
Relation to Storage: J. I. Lauritzen 1025–1041
study results 1039–1041
varieties susceptible to black rot 1037–1039
Carsner, Eubanks: Susceptibility of the Bean to the Virus of Sugar-beet Curly-top 345–348
Carstens, Arthur and Gaines, E. F.: The Linkage of Pubescent Node and Beard Factors as Evidenced by a Cross Between Two Varieties of Wheat 753–755
Casein spreaders, effectiveness in control of codling moth 319–330
Caterpillars, tent—
control tests 321, 326
Insecticidal Value of Certain War Chemicals as Tested on: F. J. Brinley 177–182
poisoning by certain war chemicals 177–182
Cattle—
Dairy—
A Formula for Estimating Surface Area: Erwin C. Elting 269–279
surface area, development of formula for 273–279
Feed—
Energy, The Relative Utilization for Maintenance, Body Increase, and Milk Production: E. B. Forbes, J. August Fries, Winfred W. Braman and Max Kriss 483–492
utilization for energy, experiment 485, 488

Cattle—Continued. Page
Heat Production, Influence of Environmental Temperature on: E. B. Forbes, Winfred W. Braman, Max Kriss, J. August Fries, Donald C. Cochrane, C. D. Jeffries, R. W. Swift, R. B. French, and J. V. Maucher, jr. 579–589
shearing, effect on body heat 580, 581–583, 586
Ceanothus americanus L., use in study of crown rust 954, 969
Celery blight, control by basic copper sulphate 749
Cellulose—
Feeding to Steers, Effect on Pulse Rate: Harry W. Titus 887–891
pure, effects of application on plant growth 77–99
Cephalosporium acremonium, reaction to hot water treatment 770–771
Ceratitis capitata Weidemann. *See* Fruit fly, Mediterranean.
Ceratostomella fimbriatum, cause of black rot of sweet potatoes 663–676
Cercospora—
apii Fr., control by basic copper sulphate 748, 749–750
diazu Miura, cause of leaf spot on soy bean 393–394
Chamberlin, F. S., and Tenhet, J. N.: *Cardiochiles nigriceps* Vier., An Important Parasite of the Tobacco Bud Worm, *Heliothis virescens* Fab 21–27
Chemicals—
insecticidal tests on tent caterpillar 177–182
War, Insecticidal Value of Certain War Chemicals as Tested on the Tent Caterpillar: F. J. Brinley 177–182
Cherry, wild, use in insecticidal experiments 177, 179
Chimeras and Bud Variation in *Matthiola incana* R. Br.: Howard B. Frost 41–46
Chimpanzee, whipworms, study 314–316
Citrus—
inoculation with melanose fungus 624
melanose—
cause, results of studies 625
field observations 621
fungus, *Diaporthe citri* 621–625
The Perfect Stage of the Fungus Which Causes: Frederick A. Wolf 621–625
Climate—
Kansas, influence on pea aphid 51
relation to distribution of root knot 223–225
Climatic Effects in the Metabolism of the Sugar Beet: W. E. Tottingham, S. Lepkovsky, E. R. Schulz, and K. P. Link 59–76
Clover, phosphoric-acid content as a fertilization index 721–722
Cochrane, Donald C., Jeffries, C. D., Swift, R. W., French, R. B., Maucher, J. V., jr., Forbes, E. B., Braman, Winfred W., Kriss, Max, and Fries, J. August: The Influence of the Environmental Temperature on the Heat Production of Cattle 579–589
Codling Moth, Control by Arsenicals, Laboratory Experiments: E. J. Newcomer 317–330
Colletotrichum—
glycines Hori, cause of anthracnose, soybean 381–389
lagenarium, control by basic copper sulphate 749
Colley, R. H., study of Cronartium 400–401
Colloids—
bases removed by electrodialysis 559–562
electrodialyzed, displacement of hydrogen from 562–564
Soil, and Exchangeable Bases, Electrodialysis of: Sante Mattson 553–567
Copper sulphates, basic—
historical note on study 741–742
Preparation and Effectiveness for Fungicidal Purposes: E. B. Holland, C. O. Dunbar, and G. M. Gilligan 741–751
Corn—
growing—
sand-culture studies 462–463
soil sterilization experiments 455–462

Corn—Continued. Page
Root—
Rot, A Soil-borne Disease: W. D. Valleau, P. E. Karraker, and E. M. Johnson 453–476
rot, distinct from seedling blight 453–455
rot, isolation and microscopic studies 472–473
rot, organisms, result of study 473, 475
rot, relation to soil texture 471–472
rot, similarity to sugar-cane root rot 473
rots, organisms used as inoculum 464–471
seed, treatment 462
seedling blight, distinct from root rot 453–455
seedlings, injurious organisms 464, 465, 466, 468
sweet. *See* Sweet corn.
Cosmopterygidae family, notes 804–807
Cotton—
boll—
shedding and bud shedding, correlation 658
weevil, attraction by odors 1095–1139
weevil, host plants 1097
weevil, olfactory experiments 1100–1102
weevil, poisoning with sweetened substances 1097–1100
weevil, sense organs, morphology, etc. 1104–1135
Weevil, Senses of, An Attempt to Explain How Plants Attract Insects by Smell: N. E. McIndoo 1095–1141
Correlations of Seed, Fiber, and Boll Characters: Thomas H. Kearney 781–796
lint, percentage correlation with index, discussion 783
plant, odors, attraction of boll weevil 1136–1137
plants, experiments to determine action of filtrates 1146–1158
R. T. and Back, E. A.: Biology of the Saw-Toothed Grain Beetle, *Oryzaephilus surinamensis* Linné 435–452
shedding—
comparisons in hybrids of Pima and Acala 653–657
comparisons of Pima Egyptian and Acala upland varieties 651–653
genetic variation 657–685
Heritability of Different Rates: Thomas H. Kearney and Robert H. Peebles 651–661
historical survey of study 651–652
results of study 658–660
Cotton-wilt Fungus, *Fusarium vasinfectum*, Efforts to Determine the Means by Which It Induces Wilting: H. R. Rosen 1143–1162
Cow, Experimental Disturbances in Milk Secretion: F. A. Davidson 873–885
Cows—
body heat, relation to fasting 592–593, 594–595
Dry, Fasting Katabolism of: E. B. Forbes, J. August Fries, Winfred W. Braman, and Max Kriss 591–595
Cracklings, Beef Extract, Ox Blood, Ox Palates, Calf Lungs, and Hog Snouts, Nutritive Value of Proteins in: Ralph Hoagland and George G. Snider 829–843
Cranberries, yield, relation to temperature 361–363
Cranberry—
blossoms, morphology, and life history 356–359
bogs, early and late flowage, effect on crop 359–363
Flower-bud Investigations: Donald Sewall Lacroix 355–363
"Crinkling" fiber, cause of failure of wood in tests parallel to grain 188
Cronartium—
historical survey of literature 397–402
ribicola Fischer—
infection of white pine 397
study of teliospores and sporidia, historical review 397–402
Viability of Sporidia, The Influence of Physical Factors: Perley Spaulding and Annie Rathbun-Gravatt 397–433
Crops—
ash content as an index on fertilized peat land 701–740
effects of cellulose in soil 77–99
fertilized, ash content as a fertilizer index 705, 707, 709, 710, 711, 712, 713–714, 718–720, 721–722, 723.

Crops—Continued. Page
Phosphoric-acid Content—
as an Index of the Fertilization Received or Required by Peat Soils: Frederick J. Alway, William M. Shaw, and William J. Methley 701–740
relation to animal nutrition 732–734
Cross breeding. *See* Breeding.
Crown Rust, *Puccinia coronata* Corda, The Alternate Hosts: S. M. Dietz 953–970
Cruciferous Plants, A Leaf Spot Caused by *Alternaria herculea*: J. L. Weimer 645–650
Culpepper, C. W., and Magoon, C. A.: The Relation of—
Seasonal Factors to Quality in Sweet Corn 1043–1072
Storage to the Quality of Sweet Potatoes for Canning Purposes 627–643
Curing, Meat, Use of Sodium Nitrite: Robert H. Kerr, Clarence T. N. Marsh, Walter F. Schroeder, and Edward A. Boyer 541–551
Curly-top, Sugar-beet, Susceptibility of the Bean to the Virus of: Eubanks Carsner 345–348
Cytological Study of *Puccinia triticina*, Physiologic Form 11 on Little Club Wheat: Ruth F. Allen 201–222

Dairy Cattle. *See* Cattle.
Daucus carota L. *See* Carrots.
Davidson, F. A.: Experimental Disturbances in the Milk Secretion of the Cow 873–885
Davis, Edgar W., and Smith, Roger C.: The Pea Aphid as an Alfalfa Pest in Kansas 47–57
"Density," wheat spike, explanation of term 1163
Diachasma—
fullawayi Silvestri, parasite of the Mediterranean fruit fly in Hawaii 9–15
tryoni Cameron, parasite of the Mediterranean fruit fly in Hawaii 9–15
Diaporthe sojae Lehm.—
cause of pod and stem blight 393
distinction from soy bean parasite 382
Dietz, S. M.: The Alternate Hosts of Crown Rust, *Puccinia coronata* Corda 953–970
Diplodia zeae, cause of sweet corn disease 769, 773–778
Dipyridyl crude oil—
insecticidal properties of constituents 606–607
methods of application 609
toxicity experiments 599–606
use as plant spray 606
use on insects 600–606
Dipyridyls—
and Certain Other Organic Compounds, Toxicity as Contact Insecticides: Charles H. Richardson and C. R. Smith 597–609
chemical relationships 597–599
insecticidal properties 600
toxicity, results of study 608–609
Diseases, Soy-bean, Which Occur Both in North Carolina and the Orient: Frederick A. Wolf and S. G. Lehman 391–396
Disinfectant, hot water as, for sweet corn 770
Dry Farming—
Conditions, Yellow Berry, Cause and Control in Turkey Wheat: J. S. Jones and G. A. Mitchell 281–292
lands, organic matter small 285
nitrogen, importance 291–292
Drying, effect upon viability of sporidia 409–421
Dunbar, C. O., Gilligan, G. M., and Holland, E. B.: The Preparation and Effectiveness of Basic Copper Sulphates for Fungicidal Purposes 741–751
Dusts, copper sulphate, substitute for Bordeaux mixture 744–749

Eelworm. *See* Nematode.
Electrodialysis—
condition of bases removed 564–575
displacement of hydrogen from colloids 562–564
historical notes and experiments 553–559
of the Colloidal Soil Material and the Exchangeable Bases: Sante Mattson 553–567

Page

Electrodialysis—Continued.
removal of colloid matter ... 559–560
soils, bases and acids removed hourly ... 557
Elting, Erwin C.: A Formula for Estimating Surface Area of Dairy Cattle ... 269–279
Emulsion, Carbon Disulphide—
a Homogeneous: Walter E. Fleming ... 17–20
composition ... 18
Emulsions—
insecticidal, characteristics and stability ... 19
use against larvae in soil ... 823–827
Entomology Bureau, records of fruit fly parasitism ... 9–15
Ephestia kuehniella, destruction, experiment ... 604
Erwin, A. T., Reddy, C. S., and Holbert, J. R.; Seed Treatments for Sweet-corn Diseases ... 769–779
Ester, anthranilic acid, in grape juice, method of determining ... 302–310
Esters, volatile, in grape juice, method of determining ... 304
Estimating Surface Area of Dairy Cattle, a Formula for; Erwin C. Elting ... 269–279
Eutettix tenella Baker. *See* Leaf hopper.
Evenden, James C.: The Pine Butterfly, *Neophasia menapia* Felder ... 339–344

Fallow, summer, accumulation of nitrate and moisture ... 286–287
Farming, Dry. *See* Dry Farming.
Fat, Poultry, Vitamin A in Flesh and Fat: Ralph Hoagland and Alfred R. Lee ... 29–40
Fatty acids, use with carbon disulphide emulsion ... 19
Feed—
animal, relation to phosphoric-acid content of crops ... 732–734
cattle—
energy and heat production ... 488–492
relation to heat ... 580–581, 582, 583, 587–588
Energy—
Cattle, The Relative Utilization for Maintenance, Body Increase and Milk Production: Winfred W. Braman, E. B. Forbes, J. August Fries, and Max Kriss ... 483–492
utilization in milk production, plan of investigation ... 483–484
Feeding—
dry cows, study in fasting katabolism ... 591–595
poultry, data on ... 29–32
Sheep, and Management, Effect on the Tensile Strength and Elasticity of Wool: W. E. Joseph ... 1073–1089
Fellows, Hurley, and Webb, Robert W.: Growth of *Ophiobolus graminis* Sacc. in Relation to Hydrogen-ion Concentration ... 845–872
Fertilization, Peat Soils, as Received or Required, Index in the Phosphoric-acid Content of Crops: Frederick J. Alway, William M. Shaw, and William J. Methley ... 701–740
Fertilizers, effect on corn root rot ... 458
Fiber, Cotton, Correlations with Seed and Boll Characters: Thomas H. Kearney ... 781–796
Fibers, wool, testing method ... 1074
Fink, David E.: Physiological Studies of the Effect of Arsenicals on the Respiratory Metabolism of Insects ... 993–1007
Fish-oil soap, use as insecticide ... 602
Flavor, Volatile, Distribution in Grapes and Grape Juices: J. W. Sale and J. B. Wilson ... 301–310
Flax plants, wilting, study of cause ... 1146
Fleming, Walter E.—
A Homogeneous Carbon Disulphide Emulsion ... 17–20
Water and Water Solutions of Organic Compounds as Dips for the Soil of Potted Plants Infested with the Japanese Beetle ... 821–828
Flesh, poultry, Vitamin A in ... 29–40
Flies. *See* Fruit fly, Mediterranean.
Flower Bud, Cranberry, Investigations: Donald Sewall Lacroix ... 355–363
Flowers, pecan, development, etc ... 680–684

Page

Fly—
fruit. *See* Fruit fly.
ichneumon. *See* Ichneumon fly.
Forbes, E. B.—
Braman, Winfred W., Kriss, Max, Fries, J. August, Cochrane, Donald C., Jeffries, C. D., Swift, R. W., French, R. B., and Maucher, J. V., jr.: The Influence of the Environmental Temperature on the Heat Production of Cattle ... 579–589
Fries, J. August, Braman, Winfred W., and Kriss, Max—
The Fasting Katabolism of Dry Cows ... 591–595
The Relative Utilization of Feed Energy for Maintenance, Body Increase, and Milk Production of Cattle ... 483–492
Formula—
cattle surface, development ... 273–279
for Estimating Surface Area of Dairy Cattle: Erwin C. Elting ... 269–279
French, R. B., Maucher, J. V., jr., Forbes, E. B., Braman, Winfred W., Kriss, Max, Fries, J. August, Cochrane, Donald C., Jeffries, C. D., and Swift, R. W.: The Influence of the Environmental Temperature on the Heat Production of Cattle ... 579–589
Fries, J. August—
Braman, Winfred W., Kriss, Max, and Forbes, E. B—
The Fasting Katabolism of Dry Cows ... 591–595
The Relative Utilization of Feed Energy for Maintenance, Body Increase, and Milk Production of Cattle ... 483–492
Cochrane, Donald C., Jeffries, C. D., Swift, R. W., French, R. B., Maucher, J. V., jr., Forbes, E. B., Braman, Winfred W., and Kriss, Max: The Influence of the Environmental Temperature on the Heat Production of Cattle ... 579–589
Frost—
Howard B.: Bud Variation and Chimeras in *Matthiola incana* R. Br ... 41–46
injury to sweet corn ... 1064–1066
Fruit—
bud studies, importance of ... 355
fly—
control by natural enemies in Hawaii, note ... 9
Mediterranean, extent of infestation in Hawaii, 1921 ... 10
Mediterranean, larval parasitism percentage, 1921 ... 12
Mediterranean, Work and Parasitism in 1921: H. F. Willard and Theodore L. Bissell ... 9–15
insect control, laboratory results ... 317–330
trees, Heart Rot. *See* Rot, Brown-pocket Heart.
Fruit-bud Differentiation and Subsequent Development of the Flowers in the *Hicoria pecan*: J. G. Woodroof and Naomi Chapman Woodroof ... 677–685
Fruits, infestation by *Ceratitis capitata* in Hawaii, extent in 1921 ... 10–11
Fungi, wilt-producing, toxicity studies ... 1145–1161
Fungicidal Purposes, the Preparation and Effectiveness of Basic Copper Sulphates for: E. B. Holland, C. O. Dunbar, and G. M. Gilligan ... 741–751
Fungus—
Fusarium vasinfectum, Cotton Wilt, Efforts to Determine the Means by Which It Induces Wilting: H. R. Rosen ... 1143–1162
Pythium debaryanum, taxonomy ... 379–380
The Perfect Stage which Causes Melanose of Citrus: Frederick A. Wolf ... 621–625
Fusaria Causing Bulb Rot of Onions: George K. K. Link and Alice A. Bailey ... 929–952
Fusarium—
cepae Hanz, characters ... 943–947
lini, cause of flax wilt ... 1145
moniliforme, cause of root and stalk rots of corn ... 454, 462–463, 464, 465, 466, 468, 472, 457

Fusarium—Continued. Page
oxysporum W. & C., Surface Rot, Resistance of a Strain of Yellow Jersey Sweet Potato: J. I. Lauritzen ... 1091-1094
spp. *See* Wilts.
tracheiphilum Smith, cause of soy-bean wilt ... 392
vasinfectum, Cotton-wilt Fungus, Efforts to Determine the Means by which It Induces Wilting: H. R. Rosen ... 1143-1162
zonatum (Sehrb.), characters ... 947-950

Gaines, E. F., and Carstens, Arthur: The Linkage of Pubescent Node and Beard Factors as Evidenced by a Cross Between Two Varieties of Wheat ... 753-755
Garber, R. J., McIlvaine, T. C., and Hoover, M. M.: A Study of Soil Heterogeneity in Experiment Plots ... 255-268
Gelechiidae family, notes ... 808-814
Genetics, wheat, linkage of pubescent node and beard factors ... 753-755
See also Breeding.
Geometridae family, notes ... 801
Germination—
corn, effect of disinfectants ... 770-771
larch seed ... 293, 294, 295, 296, 298
Gibberella saubinetii—
cause of sweet corn disease ... 769, 773-778
use as inoculum ... 464-471, 472
Gilligan, G. M., Holland, E. B., and Dunbar, C. O.: The Preparation and Effectiveness of Basic Copper Sulphates for Fungicidal Purposes ... 741-751
Glomerella—
cingulata (Stonem.) V. Sch. and S., distribution, and cause of soy-bean anthracnose ... 381
glycines (Hori)—
cause of soy-bean anthracnose ... 394
isolation and life history ... 386-388
Godfrey, George H.: Effect of Temperature and Moisture on Nematode Root Knot ... 223-254
Grain—
beetle, saw-toothed—
biology, remarks ... 438-440, 444, 446, 448
biology, results of study ... 450-451
control measures ... 449-450
damage and losses ... 436-438
description, historical review ... 435-436
life cycle ... 448-449
Oryzaephilus surinamensis Linné: Biology: E. A. Back and R. T. Cotton ... 435-452
parasites ... 449
yield computation in experimental work ... 257-259, 268
Grains, small, phosphoric-acid content as a fertilizer index ... 706-710, 715-721, 725, 727-728, 738
Grape juices, volatile acids, etc., method of determining ... 301, 309
Grapes and Grape Juices, Distribution of Volatile Flavor: J. W. Sale and J. B. Wilson ... 301-310
Gray mold neck rot of onions, symptoms, causes, etc. ... 897-903
Green—
manures, decomposition in soil, discussion ... 87-98
manuring—
discussion ... 77-99
investigations, review ... 78-79

Ham Souring, Bacteriological Study, a Contribution to: E. A. Boyer ... 761-768
Hams—
curing, discussion of nitrite use ... 544, 547-548
injury by injection of nitrite, remarks ... 547-548
Hardening, cabbage, effect on plant fluids ... 980
Hardwoods, compression tests for failures ... 190-191, 193-194
Harter, L. L.—
and Lauritzen, J. I.: The Relation of Humidity to Infection of the Sweet Potato by Rhizopus ... 527-539
Bud Sports in Sweet Potatoes ... 523-525
Hawaii, Fruit Fly, Mediterranean, Work and Parasitism in 1921: H. F. Willard and Theodore L. Bissell ... 9-15
Hay—
oat, yield computation in experimental work ... 259-262, 268

Hay—Continued. Page
phosphoric-acid content as a fertilizer index ... 704-705, 711-715, 722-724, 729-730, 737
Health, public, relation to nitrite use ... 550
Hearing, development in insects ... 1118-1123
Heart Rot, Brown-pocket, of Stone-fruit Trees, Caused by *Trametes subrosea* Weir: S. M. Zeller ... 687-693
Heat Production of Cattle, the Influence of the Environmental Temperature: E. B. Forbes, Winfred W. Braman, Max Kriss, J. August Fries, Donald C. Cochrane, C. D. Jeffries, R. W. Swift, R. B. French, and J. V. Maucher, jr. ... 579-589
Heating, effect upon flavor of grape juice ... 305
Heliothis virescens Fab., the Tobacco Bud Worm, an Important Parasite of, *Cardiochiles nigriceps* Vier.: F. S. Chamberlin and J. N. Tenhet ... 21-27
Heritability of Different Rates of Shedding in Cotton: Thomas H. Kearney and Robert H. Peebles ... 651-661
Hesperiidae family, notes ... 797-798
Heterodera radicicola. *See* Nematode.
Heterogeneity, Soil, A Study in Experiment Plots: R. J. Garber, T. C. McIlvaine, and M. M. Hoover ... 255-268
Hickory—
Spiral Borer, *Agrilus arcuatus* Say, Life History: Fred E. Brooks ... 331-338
tree, injury by spiral borer and its control ... 333-338
Hicoria pecan, Fruit-bud Differentiation and Subsequent Development of the Flowers: J. G. Woodroof and Naomi Chapman Woodroof ... 677-685
Hill, H. H.: Decomposition of Organic Matter in Soil ... 77-99
Hoagland, Ralph, and—
Lee, Alfred R.: Vitamin A in Poultry Flesh and Fat ... 29-40
Snider, George G.: Nutritive Value of Protein in Beef Extract, Ox Blood, Ox Palates, Calf Lungs, Hog Snouts, and Cracklings ... 829-843
Hog Snouts, Cracklings, Beef Extract, Ox Blood, Ox Palates, and Calf Lungs, Nutritive Value of Proteins in: Ralph Hoagland and George G. Snider ... 829-843
Hogs, whipworms, specific identity ... 311-316
Holbert, J. R., Erwin, A. T., and Reddy, C. S.: Seed Treatments for Sweet-corn Diseases ... 769-779
Holland, E. B., Dunbar, C. O., and Gilligan, G. M.: The Preparation and Effectiveness of Basic Copper Sulphates for Fungicidal Purposes ... 741-751
Hoover, M. M., Garber, R. J., and McIlvaine, T. C.: A Study of Soil Heterogeneity in Experiment Plots ... 255-268
Hopper, leaf. *See* Leaf hopper.
Hornworms, immunity to ichneumon-fly parasitism ... 26
Humidity, Relation to Infection of the Sweet Potato by Rhizopus: J. I. Lauritzen and L. L. Harter ... 527-539
ybrids—
Hfertility, discussion ... 132-134
intergeneric, historical review of study ... 101-105
Hydrogen-ion Concentration, Growth of *Ophiobolus graminis* Sacc. in Relation to: Robert W. Webb and Hurley Fellows ... 845-872
Hymenoptera, parasites of hickory spiral borer ... 337

Ichneumon fly—
ineffectiveness against hornworms ... 26
parasitism of tobacco bud worms ... 21-27
Icing, effect upon viability of sporidia ... 425-428
Idaho, Northern, Planting Site, Aspect in Relation to Age Classes of Western White Pine Planting Stock: W. G. Wahlenberg ... 611-619
Illinoia pisi (Kalt)—
Alfalfa pest in Kansas ... 47-57
Spraying tests ... 602
Inheritance—
Correlated, in Wheat: George Stewart ... 1163-1192
Quantitative, in Phaseolus: Karl Sax ... 349-354

Page

Inoculation, *Aplanobacter insidiosum* L. McC., Study ... 496–498

Insecticidal Value of Certain War Chemicals as Tested on the Tent Caterpillar: F. J. Brinley ... 177–182

Insecticides—
chemicals, test on tent caterpillar ... 177–182
codling-moth, laboratory results ... 317–330
Contact, Toxicity of Dipyridyls and Certain Other Organic Compounds: Charles H. Richardson and C. R. Smith ... 597–609
emulsions, characteristics and stability ... 19
Soil, Experiments with Certain Arsenates: B. R. Leach ... 1–8

Insects—
Attraction to Plants by Smell. *See* Boll Weevil.
color sense, notes ... 1122–1123
communication mediums, notes ... 1123–1124
leaf-eating, control, notes ... 326
lepidopterous, study in eastern Texas ... 797–819
mounting, and histological technique ... 1102–1104
respiratory metabolism—
discussion ... 1005–1006
experiments with arsenates ... 999–1002
experiments with arsenic ... 1003–1005
experiments with arsenicals ... 995–1005
experiments with calcium arsenate 998–999, 1002
experiments with ferric arsenate ... 999–1001, 1002
experiments with lead arsenate ... 996–998, 1002
experiments with oxide components of arsenicals ... 1000–1003
experiments with realgar ... 1001, 1002
method of investigation ... 994–995
Physiological Studies of the Effect of Arsenicals: David E. Fink ... 993–1007
results of study ... 1006–1007
scent-producing organs ... 1125–1126

Ipomoea batatas Poir, bud sports in ... 523–525

Japanese beetle. *See* Beetle, Japanese.
Jeffries, C. D., Swift, R. W., French, R. B., Maucher, J. V., jr., Forbes, E. B., Braman, Winfred W., Kriss, Max, Fries, J. August, and Cochrane, Donald C.: The Influence of the Environmental Temperature on the Heat Production of Cattle ... 579–589

Johnson, E. M., Valleau, W. D., and Karraker, P. E.: Corn Root Rot, A Soil-borne Disease ... 453–476

Jones—
Fred R., and McCulloch, Lucia: A Bacterial Wilt and Root Rot of Alfalfa Caused by *Aplanobacter insidiosum* L. McC ... 493–521
J. S., and Mitchell, G. A.: The Cause and Control of Yellow Berry in Turkey Wheat Grown under Dry Farming Conditions ... 281–292

Joseph, W. E.: Effect of Feeding and Management of Sheep on the Tensile Strength and Elasticity of Wool ... 1073–1089

Juices, Grape, Distribution of Volatile Flavor: J. W. Sale and J. B. Wilson ... 301–310
See also Grape juices; Grapes.

Kansas, Alfalfa Pest, the Pea Aphid as: Roger C. Smith and Edgar W. Davis ... 47–57

Karraker, P. E., Johnson, E. M., and Valleau, W. D.: Corn Root Rot, a Soil-borne Disease ... 453–476

Katabolism, Fasting of Dry Cows: E. B. Forbes, J. August Fries, Winfred W. Braman, and Max Kriss ... 591–595

Kearney, Thomas H.—
and Peebles, Robert H.: Heritability of Different Rates of Shedding in Cotton ... 651–661
Correlations of Seed, Fiber, and Boll Characters ... 781–796

Kerr, Robert H., Marsh, Clarence T. N., Schroeder, Walter F., and Boyer, Edward A.: The Use of Sodium Nitrite in the Curing of Meat ... 541–551

Page

Kriss, Max—
Forbes, E. B., Fries, J. August, and Braman, Winfred W.—
Fasting Katabolism of Dry Cows ... 591–595
Relative Utilization of Feed Energy for Maintenance, Body Increase, and Milk Production of Cattle ... 483–492
Fries, J. August, Cochrane, Donald C., Jeffries, C. D., Swift, R. W., French, R. B., Maucher, J. V., jr., Forbes, E. B., and Braman, Winfred W.: The Influence of the Environmental Temperature on the Heat Production of Cattle ... 579–589

Laboratory Experiments with Arsenicals in the Control of the Codling Moth: E. J. Newcomer ... 317–330
Lacroix, Donald Sewall: Cranberry Flower Bud Investigations ... 355–363
Larch—
seed germination slowness, note ... 298
Western—
importance in Rocky Mountain regions ... 293
Nursery Practice: W. G. Wahlenberg ... 293–300
time to sow, depth to cover, etc ... 294–299
Larvæ, asphyxiation by water ... 821–823
Lauritzen, J. I.—
A Strain of Yellow Jersey Sweet Potato Resistant to Surface Rot (*Fusarium oxysporum* W. & C.) ... 1091–1094
and Harter, L. L.: The Relation of Humidity to Infection of the Sweet Potato by Rhizopus ... 527–539
Infection and Temperature Relations of Black Rot of Sweet Potatoes in Storage ... 663–676
The Relation of Black Rot to the Storage of Carrots ... 1025–1041
Leach, B. R.: Experiments with Certain Arsenates as Soil Insecticides ... 1–8
Lead—
acetate, use in clearing hydrolyzed solutions ... 195
arsenate, effectiveness against codling moth, study ... 319–330
Leaf—
hopper, transmission of bean disease ... 345
spot—
causal organism ... 647–649
Cercospora, study on soy bean ... 393
cruciferous plants, results of study ... 649–650
cruciferous plants, symptoms ... 645–646
distribution and economic importance of Cruciferous Plants, Caused by *Alternaria herculea:* J. L. Weimer ... 645–650
Lee, Alfred R., and Hoagland, Ralph: Vitamin A in Poultry Flesh and Fat ... 29–40
Legumes, green manure use, remarks ... 87–95
Lehman, S. G. and Wolf, Frederick A.—
Brown-spot Disease of Soy Bean ... 365–374
Diseases of Soy Beans Which Occur Both in North Carolina and the Orient ... 391–396
Pythium Root Rot of Soy Bean ... 375–380
Soy-bean Anthracnose ... 381–390
Leighty, C. E., Sando, W. J., and Taylor, J. W.: Intergeneric Hybrids in Aegilops, Triticum, and Secale ... 101–141
Lema trilineata, destruction, experiment ... 604, 606
Lepidoptera, Some, from Eastern Texas, Notes on: L. J. Bottimer ... 797–819
Lepkovsky, S., Tottingham, W. E., Schulz, E. R., and Link, K. P.: Climatic Effects in the Metabolism of the Sugar Beet ... 59–76
Leptinotarsa decemlineata, Say, submergence tests ... 606
See also Potato beetle, Colorado.
Lime-sulphur, use in control of codling moth ... 324, 325, 329
Link—
George K. K., and Bailey, Alice A.: Fusaria Causing Bulb Rot of Onions ... 929–952
K. P., Tottingham, W. E., Lepkovsky, S., and Schulz, E. R.: Climatic Effects in the Metabolism of the Sugar Beet ... 59–76
Lint, cotton, percentage correlation with index, discussion ... 783
Livestock. *See* Cattle; Hogs; Poultry; Sheep; Swine.

Page

Magoon, C. A., and Culpepper, C. W.: The Relation of—
Seasonal Factors to Quality in Sweet Corn 1043–1072
Storage to the Quality of Sweet Potatoes for Canning Purposes 627–643
Malacosoma americana Fab. *See* Caterpillars, tent.
Malvaceae family, hosts of cotton boll weevil 1097
Mangold, metabolism, climatic effects 59–76
Manures, green, decomposition— in relation to—
air drying 90–91
date of cutting 91–97
measured by carbon dioxide evolution 87–90
Manuring, green, effects on soils 77–99
See also Fertilization.
Marsh, Clarence T. N., Schroeder, Walter F., Boyer, Edward A., and Kerr, Robert H.: The Use of Sodium Nitrite in the Curing of Meat 541–551
Matthiola incana R. Br., Bud Variation and Chimeras: Howard B. Frost 41–46
Mattson, Sante: Electrodialysis of the Colloidal Soil Material and the Exchangeable Bases 553–567
Maucher, J. V., jr., Forbes, E. B., Braman, Winfred W., Kriss, Max, Fries, J. August, Cochrane, Donald C., Jeffries, C. D., Swift, R. W., and French, R. B.: The Influence of the Environmental Temperature on the Heat Production of Cattle 579–589
Mayr and Ahr, study of fertilized meadows on peat soil 730–732
McCulloch, Lucia, and Jones, Fred R.: A Bacterial Wilt and Root Rot of Alfalfa Caused by *Aplanobacter insidiosum* L. McC 493–521
McIlvaine, T. C., Hoover, M. M., and Garber, R. J.: A Study of Soil Heterogeneity in Experiment Plots 255–268
McIndoo, N. E.: Senses of the Cotton Boll Weevil—An Attempt to Explain How Plants Attract Insects by Smell 1095–1141
Mealybug, Sugar-cane, An Apparently New: Harold Morrison 757–759
Meat— curing—
by nitrate process, nitrite content 543
Use of Sodium Nitrite: Robert H. Kerr, Clarence T. N. Marsh, Walter F. Schroeder, and Edward A. Boyer 541–551
Products, Nutritive Value of Protein: Ralph Hoagland and George G. Snider 829–843
Mediterranean Fruit Fly. *See* Fruit fly.
Melanose— citrus—
causal organism, remarks 621
isolation of fungus cause 622–623
The Perfect Stage of the Fungus Which Causes: Frederick A. Wolf 621–625
fungus, ascigerous stage of citrus 623–624
Metabolism—
Respiratory, of Insects, Physiological Studies of the Effect of Arsenicals: David E. Fink 993–1007
Sugar Beet, Climatic Effects in: W. E. Tottingham, S. Lepkovsky, E. R. Schulz, and K. P. Link 59–76
Methley, William J., Alway, Frederick J., and Shaw, William M.: Phosphoric-acid Content of Crops Grown upon Peat Soils as an Index of the Fertilization Received or Required 701–740
Methyl anthranilate, determination in grape juice 302–310
Mildew, soy-bean, identity and propagation 392
Milk—
Cows', Experimental Disturbances in Secretion: F. A. Davidson 873–885
hypotheses for secretion and constituents 873

Milk—Continued. Page
Production—
Cattle, The Relative Utilization of Feed Energy for Maintenance, Body Increase and: E. B. Forbes, J. August Fries, Winfred W. Braman, and Max Kriss 483–492
feeds and rations for energy 485
variation in constituents 873
Miller, E. V., and Appleman, C. O.: A Chemical and Physiological Study of Maturity in Potatoes 569–577
Mississippi Valley, survey for buckthorn, *Rhamnus cathartica* 964–965
Mitchell, G. A., and Jones, J. S.: The Cause and Control of Yellow Berry in Turkey Wheat Grown Under Dry Farming Conditions 281–292
Moisture—
accumulation in summer fallow 286–287
and Temperature, Effect on Nematode Root Knot: George H. Godfrey 223–254
Soil, and Soil Temperature, Influence on the Development of Yellows in Cabbage Seedlings: Eugene C. Tims 971–992
Monkeys, whipworms, study 314–316
Morris, V. H., and Welton, F. A.: The Importance of Clearing the Hydrolyzed Solution in the Determination of Acid-hydrolyzable Carbohydrates in Green Plant Tissue 195–199
Morrison, Harold: An Apparently New Sugar-cane Mealybug 757–759
Moth, Codling, Laboratory Experiments with Arsenicals in the Control of: E. J. Newcomer 317–330
Mutation. *See* Variation.
Mycelial neck rot of onions, symptoms, causes, etc 904–908
Myzus persicae, spraying tests 602

Neck Rots—
Botrytis of Onions: J. C. Walker 893–928
onion, extent and cause 893
Nematode, Root Knot, Effect of Temperature and Moisture: George H. Godfrey 223–254
Neophasia menapia Felder, the Pine Butterfly: James C. Evenden 339–344
Newcomer, E. J.: Laboratory Experiments With Arsenicals in the Control of the Codling Moth 317–330
Nitrate, soil, remarks 286–292
Nitrates, function in the curing of meat 541
Nitrite—
formation in meat curing, discussion 541–543
Sodium, Use in the Curing of Meat: Robert H. Kerr, Clarence T. N. Marsh, Walter F. Schroeder, and Edward A. Boyer 541–551
use—
direct in meat curing, experiments 543
effect on public health 550
Nitrogen, importance in dry-farming regions 291–292
Noctuidae family, notes 798–800
Node factors, wheat, in breeding 753–755
North Carolina and the Orient, Diseases of Soy Beans: Frederick A. Wolf and S. G. Lehman 391–396
Nursery Practice, Western Larch: W. G. Wahlenberg 293–300

Oak, compression tests for failures 191
Oats—
green manure use, remarks 87–94
hay, yield computation in experimental work 259–262, 268
wild. *See* Aegilops.
Odors, plant, attraction of insects 1095–1096, 1135–1137
Oil, lubricating, emulsion of, use against codling moth 325, 329
Oils, use with carbon disulphide emulsion 19
Olethreutidae family, notes 815–817
"Olfactometer," explanation of use 1135

Onion— Page
neck rots, importance and cause, remarks 893
rot, symptoms 897, 904, 908
rots, control 925
Onions—
Botrytis Neck Rots: J. C. Walker 893-928
bulb rot—
description of disease 930-933
Fusaria Causing: George K. K. Link and Alice A. Bailey 929-952
inoculation with bulb rot, table 939-940
losses from bulb rot, notes 929, 930
maturity, relation to rot infection 920
neck rots, history and distribution 894-896
rot, overwintering 915
Rots—
Sclerotium and Botrytis, remarks 896-897
study with experiments 893-952
varietal resistance to rots 924-925
Ophiobolus graminis Sacc., Growth in Relation to Hydrogen-ion Concentration: Robert W. Webb and Hurley Fellows. 845-872
Opius humilis Silvestri, parasite of Mediterranean fruit fly in Hawaii 9-15
Orchards, damage by heart rot 691-692
Orient, the, and North Carolina, diseases of soy beans 391-396
Oryzaephilus surinamensis Linné, Sawtoothed Grain Beetle, Biology: E. A. Back and R. T. Cotton 435-452
Ox—
Blood, Ox Palates, Calf Lungs, Hog Snouts, Cracklings, and Beef Extract, Nutritive Value of Protein in: Ralph Hoagland and George G. Snider 829-843
Palates, Calf Lungs, Hog Snouts, Cracklings, Beef Extract, and Ox Blood, Nutritive Value of Protein in: Ralph Hoagland and George G. Snider 829-843

Paper pulp, feeding to steers, effect on pulse rate 888-891
Paris green, effectiveness against codling moth 325-326, 329
Pea Aphid—
Alfalfa Pest in Kansas: Roger C. Smith and Edgar W. Davis 47-57
host plants and injury 49-50
Kansas—
life cycle correlation ratios 55-56
rearing experiments 51-54
seasonal history 49
winged and wingless forms 50
Pear Blight, Blossom and Spur, Caused by a Strain of *Botrytis cinerea* Pers.: S. M. Zeller 477-482
manner of infection 480-482
study results 482
See also Blight.
Pear, Blossom. *See* Pear Blight.
Peat Soils, Fertilization Received or Required, Index in the Phosphoric-acid Content of Crop: Frederick J. Alway, William M. Shaw, and William J. Methley 701-740
Pecan—
bud differentiation, result of study 685
flowers—
development and pollination 680-681, 683
internal characters 684-685
hicoria, Fruit-bud Differentiation and Subsequent Development of the Flowers: J. G. Woodroof and Naomi Chapman Woodroof 677-685
morphology 677
pollination 680-683
terminal buds, differentiation 678-680
tree, injury by spiral borer and its control. 333-338
Pectinophora gossypiella Saunders *See* Bollworm, pink.
Peebles, Robert H., and Kearney, Thomas H.: Heritability of Different Rates of Shedding in Cotton 651-661
Periderm, development in beets 168
Peronospora sp., cause of mildew on soy bean 392

Peterson— Page
Clara B., and Peterson, W. H.: The Water-soluble Content of Calcium and Phosphorus in Cabbage 695-699
W. H., and Peterson, Clara B.: The Water-soluble Content of Calcium and Phosphorus in Cabbage 695-699
Phaloniidae family, notes 819
Phaseolus—
Quantitative Inheritance: Karl Sax 349-354
vulgaris. *See* Bean.
Phomopsis citri, fungus cause of melanose, discussion 621-625
Phosphoric-acid content of Crops Grown upon Peat Soils as an Index of the Fertilization Received or Required: Alway, Frederick J., Shaw, William M., and Methley, William J. 701-740
Phosphorus, and Calcium, in Cabbage, The Water-soluble Content: W. H. Peterson and Clara B. Peterson 695-699
Pickling, meat. *See* Curing.
Pigs. *See* Hogs.
Pine—
Butterfly, *Neophasia menapia* Felder: James C. Evenden 339-344
See also Butterfly.
Western yellow, injury by pine butterfly. 339-344
Pinus—
monticola. *See* White pine, western.
ponderosa Laws. *See* Pine, western yellow.
Plant Tissue, Green, the Importance of Clearing the Hydrolyzed Solution in the Determination of Acid-hydrolyzable Carbohydrates: V. H. Morris and F. A. Welton 195-199
Planting—
Site, Northern Idaho, Aspect in Relation to Age Classes of Western White Pine Planting Stock: W. G. Wahlenberg 611-619
Stock. *See* Stock, planting.
Plants—
Attraction of Insects by Smell-senses of the Cotton Boll Weevil: N. E. McIndoo 1095-1141
odors, attraction of insects 1095-1096, 1135-1137
Potted. *See* Potted Plants.
Podisus placidus Uhler, enemy of pine butterfly 343
Poisoning—
bean, by war chemicals 177-182
contact, of caterpillars 181-182
stomach, of caterpillars 177-181
Popillia japonica Newm. *See* Beetle, Japanese.
Potato—
beetle—
Colorado, response to odors, experiments 1135-1136
destruction, experiment 603
seed, mature and immature, note 577
Potatoes—
data, analytical, for different stages of development, tables 574-575
Maturity, A Chemical and Physiological Study: C. O. Appleman and E. V. Miller 569-577
respiration in mature and immature 576
storage, changes 577
sweet. *See* Sweet Potatoes.
wilting, study of cause 1144, 1145, 1146
Potted Plants, Water, and Water Solutions of Organic Compounds as Dips for the Soil Infested with the Japanese Beetle: Walter E. Fleming 821-828
Poultry—
feeding data 29-32
Flesh and Fat, Vitamin A in: Ralph Hoagland and Alfred R. Lee 29-40
Protein—
Nutritive Value in Beef Extract, Ox Blood, Ox Palates, Calf Lungs, Hog Snouts, and Cracklings: Ralph Hoagland and George G. Snider 829-843
variation in sugar beets with daylight and darkness 69-75

Page

Protoparce sexta Joh., immunity to ichneumon-fly parasitism 26
Pseudomonas solanacearum, study in relation to cotton wilting 1155
Puccinia—
coronata Corda—
Crown Rust, the Alternate Hosts: S. M. Dietz 953–970
discussion of data on alternate hosts 966–970
graminis tritici, cause of wheat rust 1168–1171
triticina—
Cytological Study of Physiologic Form 11 on Little Club Wheat: Ruth F. Allen 201–222
life cycle, variations, etc 216–219
Pyralidae family, notes 801–803
Pyrus communis. *See* Pear.
Pythium—
debaryanum, taxonomy 379–380
Root Rot of Soy Bean: S. G. Lehman and Frederick A. Wolf 375–380
See also Root Rot.

Rape, phosphoric-acid content as a fertilization index 721–722
Rathbun-Gravatt, Annie, and Spaulding, Perley: The Influence of Physical Factors on the Viability of Sporidia of *Cronartium ribicola* Fischer 397–433
Realgar, effect on respiratory metabolism of insects 1001
Reddy, C. S., Holbert, J. R., and Erwin, A. T.: Seed Treatments for Sweet-corn Diseases 769–779
Respiratory Metabolism. *See* Metabolism.
Rhamnus—
cathartica, Mississippi Valley survey 964–965
spp., hosts of *Puccinia coronata* Corda 954, 964–965
Rhizopus, Infection of the Sweet Potato, Relation of Humidity: L. L. Harter and J. I. Lauritzen 527–539
Rhopalosiphum pseudobrassicae, spraying tests 602
Richardson, Charles H., and Smith, C. R.: Toxicity of Dipyridyls and Certain Other Organic Compounds as Contact Insecticides 597–609
Ripersia—
genus, character of, note 757
radicicola, n. s., description 757–759
Rocky Mountains, western larch, importance 293
Root knot—
distribution, relation to climate 223–225
Nematode, Effect of Temperature and Moisture: George H. Godfrey 223–254
Root Rot—
and Bacterial Wilt of Alfalfa Caused by *Aplanobacter insidiosum* L. McC.: Lucia McCulloch and Fred R. Jones 493–521
Corn—
A Soil-borne Disease: W. D. Valleau, P. E. Karraker, and E. M. Johnson 453–476
relation to soil texture 471–472
Pythium, of Soy Beans—
description, propagation, etc 375–380
S. G. Lehman and Frederick A. Wolf 375–380
Rosen, H. R.: Efforts to Determine the Means by which the Cotton-wilt Fungus, *Fusarium vasinfectum*, Induces Wilting 1143–1162
Rot—
Black—
Carrots, Relation to Storage: J. I. Lauritzen 1025–1041
Sweet Potatoes in Storage, Infection and Temperature Relations: J. I. Lauritzen 663–676
Blossom end of tomato 1021–1022
brown-pocket—
cellulose experiments 690, 691
character 687–688
damage to orchard trees 691–692
emulsion experiment 689–690
Heart, of Stone-fruit Trees, Caused by *Trametes subrosea* Weir: S. M. Zeller 687–693
hemicellulase experiment 691
liginase experiment 690
preventive measures 692–693
result of study 693

Rot—Continued. Page
Bulb, of Onions, Fusaria Causing: George K. K. Link and Alice A. Bailey 929–952
heart. *See* Rot, Brown-pocket Heart.
Root—
and a Bacterial Wilt of Alfalfa Caused by *Aplanobacter insidiosum* L. McC.: Fred R. Jones and Lucia McCulloch 493–521
Corn, a Soil-borne Disease: W. D. Valleau, P. E. Karraker, and E. M. Johnson 453–476
corn, relation to soil texture 471–472
Pythium, of Soy Bean: S. G. Lehman and Frederick A. Wolf 375–380
surface—
Fusarium oxysporum W. and C., Resistance of a Strain of Yellow Jersey Sweet Potato: J. I. Lauritzen 1091–1094
sweet potato, experiments 1092–1094
sweet potato, relation of humidity to infection 527–539
tomato—
cultural tests of organisms 1017
description 1009–1011
isolation and inoculation 1011–1013
origin 1011
prevention and control 1022
results of study 1022–1023
Stem-end and Center, Caused by Various Unrelated Organisms: Nellie A. Brown 1009–1024
Rots, onion—
control measures 925
study with experiments 893–952
varietal resistance 924–925
Rust—
Crown, *Puccinia coronata* Corda, the Alternate Hosts: S. M. Dietz 953–970
wheat—
note on origin 201
relative resistance of varieties 1168–1171
Rusts, dependence on health of hosts 219
Rye—
green-manure use, remarks 77, 85, 86, 87–94
winter, phosphoric-acid content as a fertilizer index 707–710, 720–721
See also Secale.

Sale, J. W., and Wilson, J. B.: Distribution of Volatile Flavor in Grapes and Grape Juices 301–310
Sand culture, studies for corn growing 462–463
Sando, W. J., Taylor, J. W., and Leighty, C. E.: Intergeneric Hybrids in Aegilops, Triticum, and Secale 101–141
Saturniidae family, notes 798
Sausage, content of nitrite 549
Saw-toothed grain beetle. *See* Grain.
Sax, Karl: Quantitative Inheritance in Phaseolus 349–354
Scab, apple, control by copper sulphate 748
Schroeder, Walter F., Boyer, Edward A., Kerr, Robert H., and Marsh, Clarence T. N.: The Use of Sodium Nitrite in the Curing of Meat 541–551
Schulz, E. R., Link, K. P., Tottingham, W. E., and Lepkovsky, S.: Climatic Effects in the Metabolism of the Sugar Beet 59–76
Schwartz, Benjamin: Specific Identity of Whipworms from Swine 311–316
Sclerotial neck rot, small, of onions, symptoms, causes, etc 908–912
Sclerotinia libertiana, cause of soy-bean disease 395
Seasonal Factors, Sweet Corn, Relation to Quality: C. A. Magoon and C. W. Culpepper 1043–1072
Secale, Hybrids Intergeneric, with Aegilops and Triticum: C. E. Leighty, W. J. Sando, and J. W. Taylor 101–141
Seed—
beds, watering, shading, etc 297–299
corn, treatment for root-rot fungus 462
Cotton, Correlations with Fiber and Boll Characters: Thomas H. Kearney 781–796
larch, vitality and germination 293
soy bean, dissemination of brown spot 372
Sweet Corn, Treatments for Diseases: C. S. Reddy, J. R. Holbert, and A. T. Erwin 769–779

Seed—Continued. Page
tomato, infection with rot organism.... 1015–1016
western larch, sowing, etc..... 293–299
Seedling blight, corn, distinction from root rot..... 453–455
Sense organs, study of development in cotton boll weevil..... 1104–1139
Septoria—
apii Chester, control by basic copper sulphate..... 749–750
glycines Hemmi, cause of brown-spot on soy beans..... 369–374, 393
sojina. *See Septoria glycines* Hemmi.
Shade, seed bed, for western larch..... 298
Shaw, William M., Methley, William J., and Alway, Frederick J.: Phosphoric-acid Content of Crops Grown upon Peat Soils as an Index of the Fertilization Received or Required..... 701–740
Shearing, cattle, relation to heat production. 586
Sheep, Feeding and Management, Effect on the Tensile Strength and Elasticity of Wool: W. E. Joseph..... 1073–1089
Sight, development in insects..... 1122–1123
Silking, sweet corn, time and rate..... 1046–1049
Site, planting. *See* Planting site.
"Slip lines." *See* "Slip planes."
"Slip planes," relation to failure of wood in tests parallel to grain..... 185–187
Smell—
Attraction of Insects to Plants, Senses of the Cotton Boll Weevil: N. E. McIndoo..... 1095–1141
development in cotton boll weevil..... 1105–1115, 1126–1129
Smith—
C. R., and Richardson, Charles H.: Toxicity of Dipyridyls and Certain Other Organic Compounds as Contact Insecticides..... 597–609
Roger C., and Davis, Edgar W.: The Pea Aphid as an Alfalfa Pest in Kansas..... 47–57
Snider, George G., and Hoagland, Ralph: Nutritive Value of Protein in Beef Extract, Ox Blood, Ox Palates, Calf Lungs, Hog Snouts, and Cracklings.... 829–843
Soap, fish-oil, use as insecticide..... 602
Sodium nitrite—
quantities in curing meat..... 547
Use in Curing Meat: Robert H. Kerr, Clarence T. N. Marsh, Walter F. Schroeder, and Edward A. Boyer..... 541–551
Softwoods, compression tests for failures.... 190–191, 193–194
Soil—
Dips of Water and Water Solutions of Organic Compounds, for Potted Plants Infected with Japanese Beetles: Walter E. Fleming..... 821–828
Heterogeneity, A Study in Experiment Plots: R. J. Garber, T. C. McIlvaine, and M. M. Hoover..... 255–268
Insecticides, Experiments with Certain Arsenates as: B. R. Leach..... 1–8
Moisture—
and Soil Temperature, Influence on the Development of Yellows in Cabbage Seedlings: Eugene C. Tims..... 971–992
effect on development of root knot..... 225–236
Organic Matter, Decomposition: H. H. Hill..... 77–99
sterilization experiments for corn growing..... 455–462
Temperature—
and Soil Moisture, Influence on the Development of Yellows in Cabbage Seedlings: Eugene C. Tims..... 971–992
effect on development of root knot..... 225–229, 236–252
texture, relation to corn root rot..... 471–472
Soils—
bases, removal by electrodialysis..... 556–559
Colloidal Material and Exchangeable Bases, Electrodialysis: Sante Mattson. 553–567
electrodialysis—
bases and acids removed hourly..... 557
methods used..... 554–556
infection with black rot..... 1028
mineral, and phosphate-hungry, hay from. 734–737
Peat, Fertilization Received or Required, Index in Phosphoric-acid Content of Crops: Frederick J. Alway, William M. Shaw, and William J. Methley.... 701–740
Soils—Continued. Page
plot uniformity, estimating oat crop..... 259–262
toxicity, effect of arsenates..... 1–8
Soja max (L.) Piper. *See* Soy Bean.
Souring, Ham, A Contribution to the Bacteriological Study of: E. A. Boyer..... 761–768
Sowing, larch seed..... 294–297
Soy Bean—
Brown-spot Disease: Frederick A. Wolf and S. G. Lehman..... 365–374
historical notes on culture..... 391
Pythium Root Rot: S. G. Lehman and Frederick A. Wolf..... 375–380
Soy beans—
disease studies..... 365–396
Diseases Which Occur Both in North Carolina and the Orient: Frederick A. Wolf and S. G. Lehman..... 391–396
inoculation experiments with brown spot. 370–371
varietal resistance to brown spot..... 372–373
Soy-bean Anthracnose: S. G. Lehman and Frederick A. Wolf..... 381–390
Spaulding, Perley and Rathbun-Gravatt, Annie: The Influence of Physical Factors on the Viability of Sporidia of *Cronartium ribicola* Fischer..... 397–433
Spiral Borer, Hickory, *Agrilus arcuatus* Say, Life History: Fred E. Brooks..... 331–338
Spores, kinds found in a study of Puccinia on wheat..... 201
Sporidia—
Cronartium ribicola Fischer, the Influence of Physical Factors on the Viability of: Perley Spaulding and Annie Rathbun-Gravatt..... 397–433
germination..... 403–408
secondary, production..... 428–429
viability—
effect of alternate wetting and drying.. 413–414
effect of drying..... 409–421
effect of icing..... 425–428
effect of sunshine..... 421–425
result of study..... 429–430
Sports, Bud, in Sweet Potatoes: L. L. Harter..... 523–525
Spray, copper sulphate as substitute for Bordeaux mixture..... 741, 744–747
Spraying, experiments with aphids..... 601–603
Sprays—
copper sulphate, method of preparation.. 744–747
effectiveness against codling moth..... 319–330
Spruce, compression tests for failures..... 190
Steers—
feeding experiments, effect on pulse rate.. 887–891
Pulse Rate, Effect of Feeding Cellulose; Harry W. Titus..... 887–891
Sterilization, soil, experiments..... 455–462
Stewart, George: Correlated Inheritance in Wheat..... 1163–1192
Stewart's Disease. *See* Blight, sweet corn.
Stock, Planting, Western White Pine, Age Classes in Relation to Aspect of Planting Site in Northern Idaho: W. G. Wahlenberg..... 611–616
Stone fruit. *See* Rot, Brown-pocket heart.
Storage—
Carrots, Relation to Black Rot: J. I. Lauritzen..... 1025–1041
grape juice, effect upon flavor..... 307–309
sweet potato, relation of humidity to rot infection..... 527, 530–532, 534
Sweet Potatoes, Relation to Quality for Canning Purposes: C. W. Culpepper and C. A. Magoon..... 627–643
Straw, phosphoric-acid content as a fertilizer index..... 716, 718, 728
Sugar beet. *See* Beet, sugar.
Sugar cane. *See* Cane, sugar.
Sugar-beet, Curly-top, Susceptibility of the Bean to the Virus of: Eubanks Carsner 345–348
Sugars—
sweet potato..... 635
variation in sugar beets with daylight and darkness..... 69–75
Sulphates, Copper Basic, Preparation and Effectiveness for Fungicidal Purposes: E. B. Holland, C. O. Dunbar, and G. M. Gilligan..... 741–751
Sunshine, effect upon viability of sporidia.. 421–425

Surface— Page
Area, of Dairy Cattle, A Formula for Estimating: Erwin C. Elting 269–279
rot. *See* Rot, surface.
Sweet—
clover, host of *Aplanobacter insidiosum* L. McC., note 500
corn—
canning tests 1062–1064
crop, vegetative condition 1048–1049
Diseases, Seed Treatments for: C. S. Reddy, J. R. Holbert, and A. T. Erwin 769–779
frost injury of quality for canning 1064–1066
growing experiments, seasonal data 1044–1046
growing experiments, yields 1049, 1052
kernel, chemical studies 1053–1062
seasonal conditions, discussion 1066–1070
seasonal factors, study results 1070–1072
silking, time and rate 1046–1048
tenderness, effect of seasonal conditions 1052–1053
The Relation of Seasonal Factors to Quality: C. A. Magoon and C. W. Culpepper 1043–1072
Potato—
Infection by Rhizopus, The Relation to Humidity: J. I. Lauritzen and L. L. Harter 527–539
surface rot, experiments 1092–1094
surface rot, susceptible varieties, description 1091
varieties resistant to surface rot, description 1091
Yellow Jersey, A Strain Resistant to Surface Rot (*Fusarium oxysporum* W. & C.): J. I. Lauritzen 1091–1094
potatoes—
black rot, development, time element 670–673
black rot, discussion 674
Black Rot in Storage, Infection and Temperature Relations: J. I. Lauritzen 663–676
black rot, result of study 675–676
Bud Sports in: L. L. Harter 523–525
canned, chemical studies 634–639
canned, cooking tests 641–642
canned, qualities of 29 varieties 639–640
canned, tests 630–631
canning, experimental methods 628–630
canning requirements 627
Haiti variety, color of stem and vines 525
Haiti variety, origin, propagation, note 523
inoculation with black rot 665–667
peeling and waste tests 630
plasticity tests 630–631
Rhizopus rot, wound factor 535–536, 537
stored and cured, use for canning, summary 642
surface rot, losses 1091
The Relation of Storage to the Quality for Canning Purposes: C. W. Culpepper and C. A. Magoon 627–643
Swift, R. W.; French, R. B.; Maucher, J. V., jr.; Forbes, E. B.; Braman, Winfred W.; Kriss, Max; Fries, J. August; Cochrane, Donald C.; and Jeffries, C. D.: The Influence of the Environmental Temperature on the Heat Production of Cattle 579–589
Swine, Whipworms, Specific Identity: Benjamin Schwartz 311–316

Tactile hairs, distribution and structure on cotton boll weevil 1116–1118, 1129–1133
Take-all, disease of wheat, acidity and alkalinity tests on growth of fungus causing 845–871
Taste, development in cotton boll weevil 1118
Taylor, J. W., Leighty, C. E., and Sando, W. J.: Intergeneric Hybrids in Aegilops, Triticum, and Secale 101–141
Telia, period of natural production 403
Temperature—
and Moisture, Effect on Nematode Root Knot: George H. Godfrey 223–254
effects on—
Aplanobacter insidiosum 499–500, 516–518, 519
metabolism of the sugar beet 59–76
Temperature—Continued. Page
Environmental, Influence on the Heat Production of Cattle: E. B. Forbes, Winfred W. Braman, Max Kriss, J. August Fries, Donald C. Cochrane, C. D. Jeffries, R. W. Swift, R. B. French, and J. V. Maucher, jr. 579–589
influence on growth of *Alternaria radicina* 1032–1033
Soil and Soil Moisture, Influence on the Development of Yellows in Cabbage Seedlings: Eugene C. Tims 971–992
Tenhet, J. N., and Chamberlin, F. S.: *Cardiochiles nigriceps* Vier., an Important Parasite of the Tobacco Bud Worm, *Heliothis virescens* Fab 21–27
Tent Caterpillars. *See* Caterpillars, tent.
Tertastichus giffardianus Silvestri, parasite of the Mediterranean fruit fly in Hawaii 9–15
Texas, Eastern, Notes on Some Lepidoptera from: L. J. Bottimer 797–819
Theronia fulvescens Cress., enemy of pine butterfly 343
Tims, Eugene C.: The Influence of Soil Temperature and Soil Moisture on the Development of Yellows in Cabbage Seedlings 971–992
Titus, Harry W.: Effect of Feeding Cellulose on Pulse Rate of Steers 887–891
Tobacco—
Bud Worm, *Heliothis virescens* Fab., An Important Parasite of, *Cardiochiles nigriceps* Vier.: F. S. Chamberlin and J. N. Tenhet 21–27
"wildfire," study of cause 1146
wilting, study of cause 1143–1144
Tomato—
entrance of attacking organism 1021
hydrogen-ion concentration, relation to rot infection 1013–1015
rot—
preventive and control measures 1022
results of study of 1022–1023
"sleepy disease," study of cause 1145
Stem-end and Center Rot Caused by Various Unrelated Organisms: Nellie A. Brown 1009–1024
Tomatoes—
blossom-end rot, observations 1021–1022
seed infection with rot organism 1015, 1016
Tortricidae family, notes 818–819
Tottingham, W. E., Lepkovsky, S., Schulz, E. R., and Link, K. P.: Climatic Effects in the Metabolism of the Sugar Beet 59–76
Toxicity—
Dipyridyls and Certain Other Organic Compounds as Contact Insecticides: Charles H. Richardson and C. R. Smith 597–609
war chemicals, to caterpillars 177–182
Toxoneura sp. *See Cardiochiles nigriceps* Vier.
Trametes subrosea Weir—
cause of—
heart rot, results of study 693
the Brown-pocket Heart Rot of Stone-fruit Trees: S. M. Zeller 687–693
distribution 687
Trichocephalus spp., notes on 312
See also Whipworms, swine.
Trichuris spp., morphology 314
See also Whipworms, swine.
Triticum, Hybrids Intergeneric, with Aegilops and Secale: C. E. Leighty, W. J. Sando, and J. W. Taylor 101–141
Turkey Wheat. *See* Wheat, Turkey.

Valleau, W. D., Karraker, P. E., and Johnson, E. M.: Corn Root Rot, A Soil-borne Disease 453–476
Variation, Bud, and Chimeras in *Matthiola incana* R. Br.: Howard B. Frost 41–46
Venturia inaequalis, control by basic copper sulphate 743
Verticillium albo-atrum. *See* Tomato, "sleepy disease."
Viability of Sporidia of *Cronartium ribicola* Fischer, The Influence of Physical Factors: Perley Spaulding and Annie Rathbun-Gravatt 397–433

Page

Vitamin A in Poultry Flesh and Fat: Ralph Hoagland and Alfred R. Lee... 29–40

Wagner, P., study of content of crops as fertilizer index... 701–702, 705
Wahlenberg, W. G.—
Age Classes of Western White Pine Planting Stock in Relation to Aspect of Planting Site in Northern Idaho... 611–619
Western Larch Nursery Practice... 293–300
Walker, J. C.: Botrytis Neck Rots of Onions... 893–928
Water—
and Water Solutions of Organic Compounds as Dips for the Soil of Potted Plants Infested With the Japanese Beetle: Walter E. Fleming... 821–828
solutions of organic compounds, use against larvae in soil... 823–827
use against larvae in soil... 821–823
Watering, larch seed beds... 297–298
Weather—
effect upon fruiting of cranberries... 359–363
relation to development of cabbage yellows... 988
Webb, Robert W., and Fellows, Hurley: Growth of *Ophiobolus graminis* Sacc. in Relation to Hydrogen-ion Concentration... 845–872
Weevil, cotton boll. *See* Cotton boll weevil.
Weimer, J. L.: A Leaf Spot of Cruciferous Plants Caused by *Alternaria herculea*... 645–650
Welton, F. A., and Morris, V. H.: The Importance of Clearing the Hydrolyzed Solution in the Determination of Acid-Hydrolyzable Carbohydrates in Green Plant Tissue... 195–199
Western Larch. *See* Larch, western.
Wheat—
awnlessness, inheritance studies... 1163–1191
Beard Factors, and Pubescent Node, Linkage, as Evidenced by a Cross between Two Varieties of: E. F. Gaines and Arthur Carstens... 753–755
breeding experiments... 753–755, 1164–1191
Correlated Inheritance: George Stewart 1163–1192
correlation of characters, studies... 1186–1189
Cross between Two Varieties, Linkage of Pubescent Node and Beard Factors: E. F. Gaines and Arthur Carstens... 753–755
inheritance studies, summary... 1189–1191
Little Club, A Cytological Study of *Puccinia triticina* Physiologic Form 11 on: Ruth F. Allen... 201–222
nodes, linkage with beards in breeding... 753–755
rust, relative resistance of varieties... 1168–1171
spike density, inheritance studies... 1163–1191
take-all disease, acidity and alkalinity tests on growth of fungus causing... 845–871
Turkey, Yellow Berry, Cause and Control Under Dry Farming Conditions: J. S. Jones and G. A. Mitchell... 281–292
variety crosses, results... 1166–1191
yellow berry, cause... 284
yield computation in experimental work... 263–264, 268
See also Triticum.
Whipworms—
human, comparison with whipworms of swine... 314–316
swine—
history of discovery... 311–313
Specific Identity: Benjamin Schwartz... 311–316
White pine—
height growth... 614–617
Western—
Age Classes of Planting Stock in Relation to Aspect of Planting Site in Northern Idaho: W. G. Wahlenberg... 611–619
cost of planting... 618–619
planting experiments... 611–619
planting, results of study... 619
survival after transplanting... 612–614
"Wildfire," tobacco, study of cause... 1146
Willard, H. F., and Bissell, Theodore L.: Work and Parasitism of the Mediterranean Fruit Fly in Hawaii in 1921... 9–15

Page

Wilson, J. B., and Sale, J. W.: Distribution of Volatile Flavor in Grapes and Grape Juices... 301–310
Wilt—
Bacterial, and Root Rot of Alfalfa Caused by *Aplanobacter insidiosum* L. McC.: Fred R. Jones and Lucia McCulloch... 493–521
Cotton, Efforts to Determine the Means by Which the Fungus, *Fusarium vasinfectum*, Induces Wilting: H. R. Rosen... 1143–1162
soy bean, description and cause... 392
Wilting—
Efforts to Determine Means by Which the Cotton-wilt Fungus *Fusarium vasinfectum:* Induces... 1143–1162
tobacco, study of cause... 1143–1144
historical review of studies... 1143–1146
Wilts, study of fungi, causing... 1143–1161
Wolf, Frederick A.—
and Lehman, S. G.—
Brown-spot Disease of Soy Bean... 365–374
Diseases of Soy Bean Which Occur Both in North Carolina and the Orient... 391–396
Pythium Root Rot of Soy Bean... 375–380
Soy-bean Anthracnose... 381–390
The Perfect Stage of the Fungus Which Causes Melanose of Citrus... 621–625
Wood—
cross section, effect in compression tests... 191
density relation to failures under compression... 190
failure under compression, discussion of mode... 191–194
Relation of the Manner of Failure to the Structure under Compression Parallel to the Grain: Jacques L. Bienfait... 183–194
Woodroof—
J. G., and Woodroof, Naomi Chapman: Fruit-bud Differentiation and Subsequent Development of the Flowers in the *Hicoria pecan*... 677–685
Naomi Chapman and Woodroof, J. G.: Fruit-bud Differentiation and Subsequent Development of the Flowers in the *Hicoria pecan*... 677–685
Woods—
compression tests parallel to grain, relation of failure to structure... 183–194
structure, relation of failure to grain... 183–194
Wool—
Tensile Strength and Elasticity—
Effect of Feeding and Management of Sheep: W. E. Joseph... 1073–1089
effect of feeding, experiments and results... 1074–1088
investigation, results... 1088–1089
investigations, review... 1073–1074
method of testing... 1074

Yam. *See* Sweet potato.
Yellow Berry—
Cause and Control in Turkey Wheat Grown under Dry Farming Conditions: J. S. Jones and G. A. Mitchell... 281–292
wheat, cause, remarks... 284
Yellows—
cabbage, susceptibility of several strains, comparison... 973–978
in Cabbage Seedlings, Influence of Soil Temperature and Soil Moisture in Development: Eugene C. Tims... 971–992
Yields—
computation in experimental work... 257–268
sweet corn... 1049–1052

Zeller, S. M.—
A Blossom and Spur Blight of Pear Caused by a Strain of *Botrytis cinerea* Pers... 477–482
The Brown-pocket Heart Rot of Stone-fruit Trees Caused by *Trametes subrosea* Weir... 687–693
Zinc arsenate, effectiveness against codling moth... 327, 329
Zizyphus lycioides Gray, use in study of crown rust... 955, 969